

- azetidine-1,2-diyl,
- W — is N, CR³ or an sp² hybridised carbon atom,
- E — together with W is a 3- to 7-membered saturated carbocyclic or heterocyclic ring having from 0 to 3 N, from 0 to 2 O and/or from 0 to 2 S atom which optionally contains a double bond,
- D is phenyl, pyridyl or thienyl, which in each case is monosubstituted or disubstituted by Hal, a monocyclic or bicyclic, aromatic carbocyclic or heterocyclic ring having from 0 to 4 N, O and/or S atoms which is unsubstituted or monosubstituted or polysubstituted by Hal, A, OR³, N(R³)₂, NO₂, CN, COOR³ or CON(R³)₂,
- G is (CH₂)_n or (CH₂)_nNH-, $-\text{C}(\text{R}^4)_2]_n-$, $-\text{C}(\text{R}^4)_2]_n\text{NR}^3-$, $-\text{C}(\text{R}^4)_2]_n\text{O}-$, $-\text{C}(\text{R}^4)_2]_n\text{S}-$ or $-\text{C}(\text{R}^4)=\text{C}(\text{R}^4)]_n-$,
- X is CONH-, $-\text{C}(\text{R}^4)_2]_n\text{CONR}^3[\text{C}(\text{R}^4)_2]_n-$, $-\text{C}(\text{R}^4)_2]_n\text{NR}^3\text{CO}[\text{C}(\text{R}^4)_2]_n-$, $-\text{C}(\text{R}^4)_2]_n\text{NR}^3[\text{C}(\text{R}^4)_2]_n-$, $-\text{C}(\text{R}^4)_2]_n\text{O}[\text{C}(\text{R}^4)_2]_n-$, $-\text{C}(\text{R}^4)_2]_n\text{CO}[\text{C}(\text{R}^4)_2]_n-$ or $-\text{C}(\text{R}^4)_2]_n\text{COO}[\text{C}(\text{R}^4)_2]_n-$,
- Y is 1,3- or 1,4-phenylene which is unsubstituted or monosubstituted or disubstituted by methyl, trifluoromethyl, ethyl, propyl, Cl or F, alkylene, cycloalkylene, Het-diyl or Ar-diyl,
- T is morpholin-4-yl which is monosubstituted or disubstituted by carbonyl oxygen, a monocyclic or bicyclic, saturated or unsaturated carbocyclic or heterocyclic ring having from 0 to 4 N, O and/or S atoms which is monosubstituted or disubstituted by =O, =S, =NR³, =N-CN, =N-NO₂, =NOR³, =NCOR³, =NCOOR³ or =NOCOR³ and which is optionally further monosubstituted, disubstituted or trisubstituted by R³, Hal, A, $-\text{C}(\text{R}^4)_2]_n\text{-Ar-}$, $-\text{C}(\text{R}^4)_2]_n\text{-Het-}$, $-\text{C}(\text{R}^4)_2]_n\text{-cycloalkyl-}$, OR³, N(R³)₂, NO₂, CN, COOR³, CON(R³)₂, NR³COA, NR³CON(R³)₂, NR³SO₂A, COR³, SO₂NR³ and/or S(O)_nA,
- A is unbranched or branched alkyl having 1-10 carbon atoms and in which 1-7 H atoms are each optionally replaced by F, unbranched or branched alkyl having 1-10 carbon atoms in which one or two CH₂ groups are each optionally replaced by O or S atoms and/or by CH=CH groups and/or in addition 1-7 H

atoms are each optionally replaced by F,

Ar — is phenyl, naphthyl or biphenyl, each of which is unsubstituted or monosubstituted, disubstituted or trisubstituted by Hal, A, OR³, N(R³)₂, NO₂, CN, COOR³, CON(R³)₂, NR³COA, NR³CON(R³)₂, NR³SO₂A, COR³, SO₂N(R³)₂, S(O)_nA, [C(R⁴)₂]_n-COOR³ or -O[C(R⁴)₂]_o-COOR³;

Ar' — is phenyl, naphthyl or biphenyl, each of which is unsubstituted or monosubstituted, disubstituted or trisubstituted by Hal, A, OR⁴, N(R⁴)₂, NO₂, CN, COOR⁴, CON(R⁴)₂, NR⁴COA, NR⁴CON(R⁴)₂, NR⁴SO₂A, COR⁴, SO₂N(R⁴)₂, S(O)_nA, [C(R⁴)₂]_n-COOR⁴ or -O[C(R⁴)₂]_o-COOR⁴;

Het — is a monocyclic or bicyclic, saturated, unsaturated or aromatic heterocyclic ring having from 1 to 4 N, O and/or S atoms which is unsubstituted or monosubstituted, disubstituted or trisubstituted by Hal, A, [C(R⁴)₂]_n-Ar, [C(R⁴)₂]_n-Het', [C(R⁴)₂]_n-cycloalkyl, OR³, N(R³)₂, NR³CON(R³)₂, NO₂, CN, [C(R⁴)₂]_n-COOR³, [C(R⁴)₂]_n-CON(R³)₂, NR³COA, NR³SO₂A, COR³, SO₂NR³, S(O)_mA and/or carbonyl oxygen;

Het' — is a monocyclic or bicyclic, saturated, unsaturated or aromatic heterocyclic ring having from 1 to 4 N, O and/or S atoms which is unsubstituted or monosubstituted or disubstituted by carbonyl oxygen, =S, =N(R⁴)₂, Hal, A, OR⁴, N(R⁴)₂, NO₂, CN, COOR⁴, CON(R⁴)₂, NR⁴COA, NR⁴CON(R⁴)₂, NR⁴SO₂A, COR⁴, SO₂NR⁴ and/or S(O)_nA;

Hal is F, Cl, Br or I, and

n is 0, 1 or 2, and

o — is 1, 2 or 3;

or a ~~and~~ pharmaceutically usable prodrug derivative, solvate, salt, or stereoisomer thereof, including mixtures thereof in all ratios,

wherein said pharmaceutically usable prodrug derivative is a compound of formula I which has been modified with an alkyl group, acyl groups, sugar, oligopeptide, or biodegradable polymer and which is cleavable to form a compound of formula I.

2. (Cancelled):

3. (Cancelled):

4. (Cancelled):

5. (Cancelled):

6. (Cancelled):

7. (Cancelled):

8. (Cancelled):

9. (Cancelled):

10. (Cancelled):

11. (Cancelled):

12. (Cancelled):

13. (Cancelled):

14. (Cancelled):

15. (Cancelled):

16. (Cancelled):

17. (Cancelled):

18. (Cancelled):

19. (Cancelled):

20. (Cancelled):

21. (Cancelled):

22. (Cancelled):

23. (Currently Amended): A compound according to Claim 1, wherein said compound is selected from:

1-N-[(4-chlorophenyl)]-2-N-{[4-(3-oxomorpholin-4-yl)phenyl]}-(R)-pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]}-(R)-pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{[3-fluoro-4-(3-oxomorpholin-4-yl)phenyl]}-(R)-pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]}-(R)-pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{[3-trifluoromethyl-4-(3-oxomorpholin-4-yl)phenyl]}-(R)-pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]}-(R)-piperidine-1,2-dicarboxamide,

~~1-N-[(4-chlorophenyl)]-2-N-{[4-(2-oxo-2H-pyridin-1-yl)phenyl]}-(R)-pyrrolidine-1,2-dicarboxamide,~~

~~1-N-[(4-chlorophenyl)]-2-N-{[4-(2-oxo-2H-pyrazin-1-yl)phenyl]}-(R)-pyrrolidine-1,2-dicarboxamide,~~

1-N-[(4-chlorophenyl)]-2-N-{[4-(3-oxomorpholin-4-yl)phenyl]}-(R)-2,5-dihydropyrrole-1,2-dicarboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-(R)-1-(5-chlorothiophene-2-carbonyl)pyrrolidine-2-carboxamide,

N-[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]-(R)-1-(5-chlorothiophene-2-carbonyl)pyrrolidine-2-carboxamide,

3-N-[(4-chlorophenyl)]-4-N-{[4-(3-oxomorpholin-4-yl)phenyl]}-(R)-oxazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N-{[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]}-(R)-oxazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N-{[4-(3-oxomorpholin-4-yl)phenyl]}-(4R,5S)-5-methyloxazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N-{[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]}-(4R,5S)-5-methyloxazolidine-3,4-dicarboxamide,

~~3-N-[(4-chlorophenyl)]-4-N-{[4-(2-oxo-2H-pyridin-1-yl)phenyl]}-(R)-oxazolidine-3,4-dicarboxamide,~~

~~3-N-[(4-chlorophenyl)]-4-N-{[4-(2-oxo-2H-pyridin-1-yl)phenyl]}-(4R,5S)-5-methyloxazolidine-3,4-dicarboxamide,~~

3-N-[(4-chlorophenyl)]-4-N-{[3-fluoro-4-(3-oxomorpholin-4-yl)phenyl]}-(4R,5S)-5-methyloxazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N-{[3-chloro-4-(3-oxomorpholin-4-yl)phenyl]}-(4R,5S)-5-methyloxazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N-{[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]}-(4R,5R)-5-methyloxazolidine-3,4-dicarboxamide,

~~3-N-[(4-chlorophenyl)]-4-N-{[4-(2-oxo-2H-pyrazin-1-yl)phenyl]}-(4R,5S)-5-methyloxazolidine-3,4-dicarboxamide,~~

~~3-N-[(4-chlorophenyl)]-4-N-{[4-(2-oxo-2H-pyrazin-1-yl)phenyl]}-(R)-oxazolidine-3,4-dicarboxamide,~~

~~3-N-[(4-chlorophenyl)]-4-N-{[3-chloro-4-(2-oxo-2H-pyridin-1-yl)phenyl]}-(R)-oxazolidine-3,4-dicarboxamide,~~

3-N-[(4-chlorophenyl)]-4-N-{[4-(3-oxomorpholin-4-yl)phenyl]}-(S)-thiazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N-{[4-(3-oxomorpholin-4-yl)phenyl]}-(S)-1,1-dioxo-1λ⁶-thiazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N- {[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]}-(S)-thiazolidine-3,4-dicarboxamide,

3-N-[(4-chlorophenyl)]-4-N- {[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]}-(S)-1,1-dioxo-1 λ^6 -thiazolidine-3,4-dicarboxamide,

~~3-N-[(4-chlorophenyl)]-4-N- {[4-(2-oxo-2H-pyridin-1-yl)phenyl]}-(R)-thiazolidine-3,4-dicarboxamide,~~

N-[4-(3-oxomorpholin-4-yl)phenyl]-3-(5-chlorothiophene-2-carbonyl)oxazolidine-5-carboxamide,

N-[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]-3-(5-chlorothiophene-2-carbonyl)oxazolidine-5-carboxamide,

~~N-[4-(2-oxo-2H-pyridin-1-yl)phenyl]-3-(5-chlorothiophene-2-carbonyl)oxazolidine-5-carboxamide,~~

~~1-N-[(5-chloropyridin-2-yl)]-2-N- {[4-(2-oxo-2H-pyridin-1-yl)phenyl]}-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,~~

1-N-[(5-chloropyridin-2-yl)]-2-N- {[4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

~~1-N-[(5-chloropyridin-2-yl)]-2-N- {[4-(2-oxo-2H-pyrazin-1-yl)phenyl]}-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,~~

~~1-N-[(5-chloropyridin-2-yl)]-2-N- {[3-fluoro-4-(2-oxo-2H-pyridin-1-yl)phenyl]}-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,~~

~~1-N-[(5-chloropyridin-2-yl)]-2-N- {[4-(2-oxo-2H-pyridin-1-yl)phenyl]}-(R)-4,4-dimethoxypyrrolidine-1,2-dicarboxamide,~~

1-N-[(5-chloropyridin-2-yl)]-2-N- {[4-(3-oxomorpholin-4-yl)phenyl]}-(R)-4,4-dimethoxypyrrolidine-1,2-dicarboxamide,

~~1-N-[(4-chlorophenyl)]-2-N- {[4-(2-oxo-2H-pyridin-1-yl)phenyl]}-(R)-4,4-dimethoxypyrrolidine-1,2-dicarboxamide,~~

1-N-[(4-chlorophenyl)]-2-N- {[4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N- {[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

~~1-N-[(4-chlorophenyl)]-2-N-[[4-(2-oxo-2H-pyridin-1-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,~~

1-N-[(4-chlorophenyl)]-2-N-[[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

~~1-N-[(4-chlorophenyl)]-2-N-[[4-(2-oxopyrazin-1-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,~~

~~1-N-[(4-chlorophenyl)]-2-N-[[3-fluoro-4-(2-oxo-2H-pyridin-1-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,~~

1-N-[(4-chlorophenyl)]-2-N-[[3-fluoro-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,3R)-3-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[3-fluoro-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,3S)-3-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4S)-4-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2S,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-3,4-dihydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4S)-4-azidopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4S)-4-aminopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-azidopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-aminopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4S)-4-acetaminopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-acetaminopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{[4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4S)-4-methylsulfonylaminopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{[4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-methylsulfonylaminopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{[4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-methoxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{[4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-ethoxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{[4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-propoxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{[4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-allyloxypyrrolidine-1,2-dicarboxamide,

(3R,5R)-1-(4-chlorophenylcarbamoyl)-5-[4-(3-oxomorpholin-4-yl)-phenylcarbamoyl]pyrrolidin-3-yl isobutyrate,

(3R,5R)-1-(4-chlorophenylcarbamoyl)-5-[4-(3-oxomorpholin-4-yl)-phenylcarbamoyl]pyrrolidin-3-yl propionate,

(3R,5R)-1-(4-chlorophenylcarbamoyl)-5-[4-(3-oxomorpholin-4-yl)-phenylcarbamoyl]pyrrolidin-3-yl acetate,

4-N-[(4-chlorophenyl)]-5-N-{[4-(3-oxomorpholin-4-yl)phenyl]}-1,3-dioxolane-4,5-dicarboxamide,

4-N-[(4-chlorophenyl)]-5-N-{[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]}-1,3-dioxolane-4,5-dicarboxamide,

~~4-N-[(4-chlorophenyl)]-5-N-{[4-(2-oxo-2H-pyridin-1-yl)phenyl]}-1,3-dioxolane-4,5-dicarboxamide,~~

4-N-[(4-chlorophenyl)]-5-N-{[4-(3-oxomorpholin-4-yl)phenyl]}-1,3-dioxolane-2,2-dimethyl-4,5-dicarboxamide,

4-N-[(4-chlorophenyl)]-5-N-{[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]}-1,3-dioxolane-2,2-dimethyl-4,5-dicarboxamide,

~~4-N-[(4-chlorophenyl)]-5-N-{[4-(2-oxo-1H-pyridin-1-yl)phenyl]}-1,3-dioxolane-2,2-dimethyl-4,5-dicarboxamide,~~

1-N-[4-chlorophenyl]-2-N-{[4-(3-oxomorpholin-4-yl)phenyl]}-1-BOC-piperazine-1,2-dicarboxamide,

1-N-[4-chlorophenyl]-2-N-{[4-(3-oxomorpholin-4-yl)phenyl]}piperazine-1,2-dicarboxamide,

1-N-[4-chlorophenyl]-2-N-{[4-(3-oxomorpholin-4-yl)phenyl]}-1,3-oxazinane-3,4-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{[4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4S)-4-ethynyl-4-hydroxypyrrolidine-1,2-dicarboxamide,

6-N-[(4-chlorophenyl)]-7-N-{[4-(3-oxomorpholin-4-yl)phenyl]}-4-oxa-6-azaspiro[2.4]heptane-6,7-dicarboxamide,

~~1-N-[(6-chloropyridin-3-yl)]-2-N-{[4-(2-oxo-2H-pyridin-1-yl)phenyl]}-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,~~

~~1-N-[(6-chloropyridin-3-yl)]-2-N-{[4-(2-oxo-2H-pyrazin-1-yl)phenyl]}-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,~~

1-N-[(4-chlorophenyl)]-2-N-{[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4S)-4-acetaminopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{[4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4S)-4-butylsulfonylaminopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{[4-(3-oxomorpholin-4-yl)phenyl]}-(R)-4-oxopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4S)-4-aminopyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]}-(S)-pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[2-(4-chlorophenyl)acetyl]-4-hydroxypyrrolidine-2-carboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-(4-chlorobenzoyl)-4-hydroxypyrrolidine-2-carboxamide,

1-N-[(4-chlorophenyl)]-2-N-{{[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]}}-(2R,4R)-4-methoxypyrrolidine-1,2-dicarboxamide,

~~1-N-[(4-chlorophenyl)]-2-N-{{[4-(2-oxo-2H-pyridin-1-yl)phenyl]}}-(2R,4R)-4-methoxypyrrolidine-1,2-dicarboxamide,~~

1-N-[(4-chlorophenyl)]-2-N-{{[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]}}-(2R,4R)-4-methoxypyrrolidine-1,2-dicarboxamide,

~~1-N-[(4-chlorophenyl)]-2-N-{{[4-(2-oxo-2H-pyrazin-1-yl)phenyl]}}-(2R,4R)-4-methoxypyrrolidine-1,2-dicarboxamide,~~

1-N-[(4-chlorophenyl)]-2-N-{{[4-(3-oxomorpholin-4-yl)phenyl]}}-(2R,4S)-4-(2-methylpropanoylamino)pyrrolidine-1,2-dicarboxamide,

~~N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-(1-1H-indol-3-ylmethanoyl)-4-hydroxypyrrolidine-2-carboxamide,~~

~~N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-(1-1H-indol-6-ylmethanoyl)-4-hydroxypyrrolidine-2-carboxamide,~~

1-N-[(4-chlorophenyl)]-2-N-{{[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]}}-(2R,4R)-4-ethoxypyrrolidine-1,2-dicarboxamide,

~~1-N-[(4-chlorophenyl)]-2-N-{{[4-(2-oxo-1H-pyridin-1-yl)phenyl]}}-(2R,4R)-4-ethoxypyrrolidine-1,2-dicarboxamide,~~

1-N-[(4-chlorophenyl)]-2-N-{{[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]}}-(2R,4R)-4-ethoxypyrrolidine-1,2-dicarboxamide,

~~1-N-[(4-chlorophenyl)]-2-N-{{[4-(2-oxo-1H-pyridin-1-yl)phenyl]}}-(2R,4S)-4-ethynyl-4-hydroxypyrrolidine-1,2-dicarboxamide,~~

~~1-N-[(4-chlorophenyl)]-2-N-{{[4-(2-oxo-2H-pyrazin-1-yl)phenyl]}}-(2R,4S)-4-ethynyl-4-hydroxypyrrolidine-1,2-dicarboxamide,~~

~~1-N-[(4-chlorophenyl)]-2-N-{{[4-(2-oxo-2H-pyridin-1-yl)phenyl]}}-4,4-difluoro-(R)-pyrrolidine-1,2-dicarboxamide,~~

~~1-N-[(4-chlorophenyl)]-2-N-{{[2-fluoro-4-(2-oxo-2H-pyridin-1-yl)phenyl]}}-(2R,4R)-4-methoxypyrrolidine-1,2-dicarboxamide,~~

~~1-N-[(4-chlorophenyl)]-2-N-{{[2-fluoro-4-(2-oxo-2H-pyridin-1-yl)phenyl]}}-(R)-pyrrolidine-1,2-dicarboxamide,~~

~~1-N-[(4-chlorophenyl)]-2-N-[[2-fluoro-4-(2-oxo-2H-pyridin-1-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,~~

~~2-N-[(4-chlorophenyl)]-1-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(R)-pyrrolidine-1,2-dicarboxamide,~~

~~2-N-[(4-chlorophenyl)]-1-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(S)-pyrrolidine-1,2-dicarboxamide,~~

~~1-N-[(4-chlorophenyl)]-2-N-[[4-(2-oxo-3-methoxy-2H-pyridin-1-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,~~

~~1-N-[(4-chlorophenyl)]-2-N-[[4-(2-oxo-3-methoxy-2H-pyridin-1-yl)phenyl]]-(R)-pyrrolidine-1,2-dicarboxamide,~~

~~N-(4-chlorophenyl)-(R)-1-{2-[4-(3-oxomorpholin-4-yl)phenyl]acetyl}pyrrolidine-2-carboxamide,~~

~~N-(4-chlorophenyl)-(S)-1-{2-[4-(3-oxomorpholin-4-yl)phenyl]acetyl}pyrrolidine-2-carboxamide,~~

~~N-(4-chlorophenyl)-(2R,4R)-1-{2-[4-(3-oxomorpholin-4-yl)phenyl]acetyl}-4-methoxypyrrolidine-2-carboxamide,~~

~~N-(4-chlorophenyl)-(2R,4S)-1-{2-[4-(3-oxomorpholin-4-yl)phenyl]acetyl}-4-methoxypyrrolidine-2-carboxamide,~~

~~N-(4-chlorophenyl)-(2S,4R)-1-{2-[4-(3-oxomorpholin-4-yl)phenyl]acetyl}-4-methoxypyrrolidine-2-carboxamide,~~

~~N-(4-chlorophenyl)-(S)-1-{2-[4-(2-oxo-1H-pyridin-1-yl)phenyl]acetyl}pyrrolidine-2-carboxamide,~~

~~N-(4-chlorophenyl)-(S)-1-{2-[4-(2-oxopyrrolidin-1-yl)phenyl]acetyl}pyrrolidine-2-carboxamide,~~

~~N-(4-chlorophenyl)-(R)-1-{2-[4-(2-oxopyrrolidin-1-yl)phenyl]acetyl}pyrrolidine-2-carboxamide,~~

~~N-(4-chlorophenyl)-(R)-1-[4-(2-oxopiperidin-1-yl)benzoyl]pyrrolidine-2-carboxamide,~~

~~N-(4-chlorophenyl)-(R)-1-[4-(2-oxopiperidin-1-yl)phenyloxycarbonyl]pyrrolidine-2-carboxamide,~~

~~1-N-[(4-chlorophenyl)]-2-N-[[4-(2-oxo-2H-pyrazin-1-yl)phenyl]]-(2R,4R)-4-ethoxypyrrolidine-1,2-dicarboxamide,~~

1-N-[(4-chlorophenyl)]-2-N-[[3-fluoro-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-ethoxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-(prop-2-ynyloxy)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-(but-2-ynyloxy)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-(2,3-dihydroxypropoxy)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-(2-hydroxy-3-pyrrolidin-1-ylpropoxy)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-(2-oxooxazolidin-5-ylmethoxy)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-(3-amino-2-hydroxypropoxy)pyrrolidine-1,2-dicarboxamide,

~~1-N-[(4-chlorophenyl)]-2-N-[[4-(2-oxo-1H-pyrazin-1-yl)phenyl]]-(R)-2,5-dihydropyrrole-1,2-dicarboxamide,~~

~~1-N-[(4-chlorophenyl)]-2-N-[[4-(2-oxo-1H-pyridin-1-yl)phenyl]]-(R)-2,5-dihydropyrrole-1,2-dicarboxamide,~~

1-N-[(4-chlorophenyl)]-2-N-[[3-fluoro-4-(3-oxomorpholin-4-yl)phenyl]]-(R)-2,5-dihydropyrrole-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]]-(R)-2,5-dihydropyrrole-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2S,3S)-3-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2S,4S)-4-hydroxypyrrolidine-1,2-dicarboxamide,

~~1-N-[(4-chlorophenyl)]-2-N-[[2-methoxycarbonyl-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-3-hydroxypyrrolidine-1,2-dicarboxamide,~~

1-N-[(4-chlorophenyl)]-2-N-{[2-carboxy-4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-3-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{[4-(3-oxomorpholin-4-yl)phenyl]}-(2R,3S,4R)-3,4-dihydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-allyloxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-(prop-2-ynyloxy)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4S)-4-(prop-2-ynyloxy)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{[4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-(methoxycarbonylmethoxy)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{[4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-(carboxymethoxy)pyrrolidine-1,2-dicarboxamide,

1-N-[(4-bromophenyl)]-2-N-{[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-methoxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-{[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-(2,3-dihydroxypropoxy)pyrrolidine-1,2-dicarboxamide,

~~1-N-[(4-chlorophenyl)]-2-N-{N-methoxycarbonylmethyl N'-[4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-methoxypyrrolidine-1,2-dicarboxamide,~~

~~1-N-[(4-chlorophenyl)]-2-N-{[4-(3-oxomorpholin-4-yl)cyclohexan-1-yl]}-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,~~

~~1-N-[(4-chlorophenyl)]-2-N-{[4-(2-iminopyrrolidin-1-yl)phenyl]}-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide;~~

~~1-N-[(4-chlorophenyl)]-2-N-{[3-methyl-4-(2-iminopyrrolidin-1-yl)phenyl]}-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide;~~

~~1-N-[(4-chlorophenyl)]-2-N-[4-{2-[(E)-cyanimino]imidazolidin-1-yl}phenyl]}-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide;~~

~~1-N-[(4-chlorophenyl)]-2-N-{[4-(2-imino-5-methylthiazol-3-yl)phenyl]}-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide;~~

1-N-[(4-chlorophenyl)]-2-N-{{2-aminocarbonyl-4-(3-oxomorpholin-4-yl)phenyl}}-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide;

1-N-[(4-chlorophenyl)]-2-N-{{4-(3-oxomorpholin-4-yl)phenyl}}-(2R,4R)-4-hydroxy-2-methylpyrrolidine-1,2-dicarboxamide,

~~N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(5-chlorothiophen-2-yl)acryloyl]-4-hydroxypyrrolidine-2-carboxamide,~~

~~N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-thiophen-3-ylacryloyl]-4-hydroxypyrrolidine-2-carboxamide,~~

~~N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(2E,4E)-5-phenylpenta-2,4-dienyl]-4-hydroxypyrrolidine-2-carboxamide,~~

~~N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(5-methylfuran-2-yl)acryloyl]-4-hydroxypyrrolidine-2-carboxamide,~~

~~N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-thiophen-2-ylacryloyl]-4-hydroxypyrrolidine-2-carboxamide,~~

~~N-[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(5-chlorothiophen-2-yl)acryloyl]-4-methoxypyrrolidine-2-carboxamide,~~

~~N-[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(5-chlorothiophen-2-yl)acryloyl]-4-hydroxypyrrolidine-2-carboxamide,~~

~~N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(4-chlorophenyl)acryloyl]-4-hydroxypyrrolidine-2-carboxamide,~~

~~N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(3,4-dichlorophenyl)acryloyl]-4-hydroxypyrrolidine-2-carboxamide,~~

~~N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(4-chlorophenyl)acryloyl]-4-methoxypyrrolidine-2-carboxamide,~~

~~N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(3,4-dichlorophenyl)acryloyl]-4-methoxypyrrolidine-2-carboxamide,~~

~~N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-1*H*-imidazol-4-ylacryloyl]-4-hydroxypyrrolidine-2-carboxamide,~~

~~N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(5-chlorothiophen-2-yl)acryloyl]-4-methoxypyrrolidine-2-carboxamide,~~

~~N [4 (3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(5-chlorofuran-2-yl)acryloyl]-4-hydroxypyrrolidine-2-carboxamide,~~

~~N [4 (3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(5-chlorofuran-2-yl)acryloyl]-4-methoxypyrrolidine-2-carboxamide,~~

~~N [4 (3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(4-chlorophenyl)acryloyl]-4-ethoxypyrrolidine-2-carboxamide,~~

~~N [4 (3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(3,4-dichlorophenyl)acryloyl]-4-ethoxypyrrolidine-2-carboxamide,~~

~~N [4 (3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(5-chlorofuran-2-yl)acryloyl]-4-ethoxypyrrolidine-2-carboxamide,~~

~~N [4 (3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(5-chlorothiophen-2-yl)acryloyl]-4-ethoxypyrrolidine-2-carboxamide,~~

~~N [2-fluoro-4 (3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(4-chlorophenyl)acryloyl]-4-hydroxypyrrolidine-2-carboxamide,~~

~~N [2-fluoro-4 (3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(3,4-dichlorophenyl)acryloyl]-4-hydroxypyrrolidine-2-carboxamide,~~

~~N [2-fluoro-4 (3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(5-chlorofuran-2-yl)acryloyl]-4-hydroxypyrrolidine-2-carboxamide,~~

~~N [2-fluoro-4 (3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(5-chlorofuran-2-yl)acryloyl]-4-methoxypyrrolidine-2-carboxamide,~~

~~N [2-fluoro-4 (3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(4-chlorophenyl)acryloyl]-4-methoxypyrrolidine-2-carboxamide,~~

~~N [2-fluoro-4 (3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(3,4-dichlorophenyl)acryloyl]-4-methoxypyrrolidine-2-carboxamide,~~

~~N [2-fluoro-4 (3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(4-chlorophenyl)acryloyl]-4-ethoxypyrrolidine-2-carboxamide,~~

~~N [2-fluoro-4 (3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(3,4-dichlorophenyl)acryloyl]-4-ethoxypyrrolidine-2-carboxamide,~~

~~N [2-fluoro-4 (3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(5-chlorofuran-2-yl)acryloyl]-4-ethoxypyrrolidine-2-carboxamide,~~

N-[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(5-chlorothiophen-2-yl)acryloyl]-4-ethoxypyrrolidine-2-carboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-1*H*-imidazol-4-ylacryloyl]-4-ethoxypyrrolidine-2-carboxamide,

N-[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-1*H*-imidazol-4-ylacryloyl]-4-hydroxypyrrolidine-2-carboxamide,

N-[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-1*H*-imidazol-4-ylacryloyl]-4-methoxypyrrolidine-2-carboxamide,

N-[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-1*H*-imidazol-4-ylacryloyl]-4-ethoxypyrrolidine-2-carboxamide,

N-[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-pyridin-3-ylacryloyl]-4-hydroxypyrrolidine-2-carboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-pyridin-3-ylacryloyl]-4-ethoxypyrrolidine-2-carboxamide,

N-[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-pyridin-3-ylacryloyl]-4-methoxypyrrolidine-2-carboxamide,

N-[2-fluoro-4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-pyridin-3-ylacryloyl]-4-ethoxypyrrolidine-2-carboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-pyridin-3-ylacryloyl]-4-hydroxypyrrolidine-2-carboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-pyridin-3-ylacryloyl]-4-methoxypyrrolidine-2-carboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-pyridin-4-ylacryloyl]-4-hydroxypyrrolidine-2-carboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-pyridin-4-ylacryloyl]-4-ethoxypyrrolidine-2-carboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-1*H*-imidazol-4-ylacryloyl]-4-methoxypyrrolidine-2-carboxamide,

N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(4-bromothiophen-2-yl)acryloyl]-4-hydroxypyrrolidine-2-carboxamide,

~~N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(4-bromothiophen-2-yl)acryloyl]-4-ethoxypyrrolidine-2-carboxamide,~~
~~N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(5-bromothiophen-2-yl)acryloyl]-4-hydroxypyrrolidine-2-carboxamide,~~
~~N-[4-(3-oxomorpholin-4-yl)phenyl]-(2R,4R)-1-[(E)-3-(5-bromothiophen-2-yl)acryloyl]-4-ethoxypyrrolidine-2-carboxamide,~~
~~N-(4-chlorophenyl)-(R)-1-[4-(2-oxopiperidin-1-yl)benzoyl]pyrrolidine-2-carboxamide,~~
~~N-(4-chlorophenyl)-(S)-1-[4-(2-oxopiperidin-1-yl)benzoyl]pyrrolidine-2-carboxamide,~~
~~1-N-[(4-chlorophenyl)]-2-N-[[4-(5-oxo-1,4-oxazepan-4-yl)phenyl]]-(R)-pyrrolidine-1,2-dicarboxamide,~~
~~1-N-[(4-chlorophenyl)]-2-N-[[4-(5-oxo-1,4-oxazepan-4-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,~~
~~1-N-[(4-chlorophenyl)]-2-N-[[4-((S)-2-methyl-3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,~~
~~1-N-[(4-chlorophenyl)]-2-N-[[4-((S)-2-methyl-3-oxomorpholin-4-yl)phenyl]]-(2R)-pyrrolidine-1,2-dicarboxamide,~~
~~1-N-[(4-chlorophenyl)]-2-N-[[4-((R)-2-methyl-3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,~~
~~1-N-[(4-chlorophenyl)]-2-N-[[4-((R)-2-methyl-3-oxomorpholin-4-yl)phenyl]]-(2R)-pyrrolidine-1,2-dicarboxamide,~~
~~1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)-2-phenoxyphenyl]]-(2R)-pyrrolidine-1,2-dicarboxamide,~~
~~1-N-[(4-chlorophenyl)]-2-N-[[2-fluoro-4-((R)-2-methyl-3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,~~
~~1-N-[(4-chlorophenyl)]-3-N-[[4-(3-oxomorpholin-4-yl)phenyl]]piperidine-1,3-dicarboxamide,~~
~~1-N-[(4-chlorophenyl)]-3-N-[[3-methyl-4-(3-oxomorpholin-4-yl)phenyl]]piperidine-1,3-dicarboxamide,~~

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-(2-methoxyethoxy)pyrrolidine-1,2-dicarboxamide,

~~1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxo-1,4-oxazepan-4-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,~~

1-N-[(4-chlorophenyl)]-2-N-[[2-methyl-4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[4-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

1-N-[(4-chlorophenyl)]-2-N-[[2-(3-oxomorpholin-4-yl)phenyl]]-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide,

and pharmaceutically usable prodrug derivatives, solvates, salts and stereoisomers thereof, including mixtures thereof in all ratios.


24. (Cancelled):

25. (Cancelled):

26. (Withdrawn; Currently Amended): A process for the preparation of compounds ~~of the formula I~~ according to claim 1 ~~and pharmaceutically usable derivatives, solvates, salts and stereoisomers thereof~~, said process comprising

a) for the preparation of compounds of the formula I in which W is N and G is NH,


a compound of formula II



in which

R^1 , R^2 , E, X, Y and T are as defined in Claim 1, and W is N,

is reacted with a compound of formula III



III


in which

D is as defined in Claim 1,

or


b) ~~for the preparation of compounds of formula I in which X is~~
 $[C(R^4)_2]_n CONR^3 [C(R^4)_2]_n$,

~~a compound of formula IV~~



in which R^3 , n, Y and T are as defined in Claim 1,

~~is reacted with a compound of formula V~~




~~in which~~

~~L is Cl, Br, I or a free or reactively functionally modified OH group, and R^1 , R^2 , R^4 ,
D, E, G, W and n are as defined in Claim 1,~~

or

c) for the preparation of compounds of formula I in which W is N,

a compound of formula II



in which

R^1 , R^2 , E, X, Y and T are as defined in Claim 1, and W is N,

is reacted with a compound of formula VI



in which

D and G are as defined in Claim 1, and L is Cl, Br, I or a free or reactively functionally modified OH group,

and/or

a base or acid of the formula I is converted into one of its salts.

27. (Cancelled):

28. (Cancelled):

29. (Currently Amended): A medicament composition comprising at least one compound according to claim 1 and one or ~~ore~~ more excipients and/or adjuvants.

30. (Previously Presented): A medicament composition comprising at least one compound according to claim 1 and at least one further medicament active ingredient.

31. (Withdrawn): A method for the treatment of a patient suffering from thromboses, myocardial infarction, arteriosclerosis, inflammation, apoplexy, angina pectoris, restenosis after angioplasty, claudicatio intermittens, migraine, tumours, tumour diseases and/or tumour metastases, comprising administering to said patient an effective amount of a compound according to claim 1 .

32. (Previously Presented): A kit comprising separate packs of:

(a) an effective amount of a compound according to claim 1,

and

(b) an effective amount of a further medicament active ingredient.

33. (Withdrawn): A method according to claim 31, further comprising administering to said patient at least one further medicament active ingredient.

34. (Cancelled):

35. (Cancelled):

36. (Cancelled):

37. (Cancelled):

38. (Cancelled):


39. (Cancelled):

40. (Withdrawn; Currently Amended): A medicament composition according to Claim 30, wherein said at least one compound is 1-N-[(4-chlorophenyl)]-2-N-{[4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-hydroxypyrrolidine-1,2-dicarboxamide and/or a pharmaceutically usable derivative, solvate, salt or stereoisomer ~~stereoisomers~~ thereof,

including mixtures thereof in all ratios, and said at least one further medicament active ingredient is aspirin.

41. (Withdrawn; Currently Amended): A method according to Claim 33, wherein 1-N-[(4-chlorophenyl)]-2-N-{[4-(3-oxomorpholin-4-yl)phenyl]}-(2R,4R)-4-hydroxy-pyrrolidine-1,2-dicarboxamide and/or pharmaceutically usable derivative, solvate, salt or stereoisomer ~~stereoisomers~~ thereof, including mixtures thereof in all ratios, and aspirin are administered to said patient.

42. (Withdrawn; Currently Amended): A compound according to claim 1, wherein



is pyrrolidine-1,2-diyl,

G is -NH-, and

X is CONH,

~~Y~~ is Ar-diyl,

~~Ar~~ is phenyl which is substituted or unsubstituted; and


~~T~~ is pyrrolidin-1-yl, is monosubstituted or disubstituted by carbonyl oxygen.

43. (New): A compound according to claim 1, wherein R¹ is H, =O, COOA, OH, OA, NH₂, alkyl having 1, 2, 3, 4, 5 or 6 carbon atoms, N₃, ethynyl, vinyl, allyloxy, methylcarbonyloxy, acetamino, or methylsulfonylamino.

44. (New): A compound according to claim 1, wherein R² is H, =O, OH, methoxy, or alkyl having 1, 2, 3, 4, 5 or 6 carbon atoms.


45. (New): A compound according to claim 1, wherein R⁴ is H.

46. (New): A compound according to claim 1, wherein




is pyrrolidine-1,2-diyl.


47. (New): A compound according to claim 1, wherein




48. (New): A compound according to claim 1, wherein




49. (New): A compound according to claim 1, wherein




50. (New): A compound according to claim 1, wherein




51. (New): A compound according to claim 1, wherein




52. (New): A compound according to claim 1, wherein




53. (New): A compound according to claim 1, wherein

 is piperazine-1,4-diyl.

54. (New): A compound according to claim 1, wherein

 is tetrahydrofuran-3,4-diyl.

55. (New): A compound according to claim 1, wherein

 is or azetidine-1,2-diyl.

56. (New): A compound according to claim 1, wherein D is phenyl which is monosubstituted or disubstituted by Hal.

57. (New): A compound according to claim 1, wherein D is pyridyl which is monosubstituted or disubstituted by Hal.

58. (New): A compound according to claim 1, wherein D is thienyl which is monosubstituted or disubstituted by Hal.

59. (New): A compound according to claim 1, wherein G is $(\text{CH}_2)_n$.

60. (New): A compound according to claim 1, wherein G is $(\text{CH}_2)_n\text{NH}$.